



X

X





QUILT DESIGNED BY MAUREEN CRACKNELL



FABRICS DESIGNED BY MAUREEN CRACKNELL





IVS-38800 FLECTION OF LOVE LIGH



LVS-38805 DARLING ECHOES RED



LVS-38801



DARING TRIBAL NOIF



LVS-38807 HEARTS FLETCHING BLUSH



LVS-38803 LOWER STAMP CHARM




IVS-38808 COMPASSION TEAL



LVS-38804 OULMATE BLOOMS LUST



LVS-38809 LOVEBIRDS CELESTI





LVS-48800



LVS-48805 DARLING ECHOES VERT



1/8-38806

DELICATE VEIL

11/5-48801



LVS-48807 HEARTS FLETCHING GOLD



LVS-48802 RING TRIBAL SUNSET



LVS-48808 COMPASSION RUBY



LVS-48803 LOWER STAMP SPELL



LVS-48809 LOVEBIRDS AMBER



LVS-48804 SOULMATE BLOOMS FLIRT



LVS-48810 MIXED EMOTIONS





FINISHED SIZE | 60' × 84'

FABRIC REQUIREMENTS

Fabric A	LVS-48808	½ yd.
Fabric B	LVS-38803	1⁄4 yd.
Fabric <mark>C</mark>	LVS-48810	1 ¼ yd.
Fabric D	LVS-48809	1⁄4 yd.
Fabric <mark>E</mark>	LVS-38809	1⁄4 yd.
Fabric F	LVS-48807	1⁄4 yd.
Fabric <mark>G</mark>	LVS-38801	1⁄4 yd.
Fabric H	LVS-38807	1⁄2 yd.
Fabric I	LVS-38808	1⁄4 yd.
Fabric <mark>J</mark>	LVS-38800	1⁄2 yd.
Fabric <mark>K</mark>	LVS-48801	1⁄4 yd.
Fabric L	LVS-48800	3⁄4 yd.
Fabric M	LVS-38805	1⁄2 yd.
Fabric N	LVS-38804	⅔ yd.
Fabric O	LVS-48803	⅔ yd.
Fabric P	LVS-48802	1⁄4 yd.
Fabric Q	LVS-48805	1⁄4 yd.
Fabric R	LVS-38806	1
BACKING FABRIC		
LVS-48800 5 ¼ yds. (Suggested)		
BINDING FABRIC		

LVS-48810- included

CUTTING DIRECTIONS

1/4" seam allowances are included.


Fabric <mark>A:</mark>	Eight (8) 7 ¾" squares	
Fabric B :	Two (2) 7 ¾" squares	
Fabric C:	Two (2) 7 ¾" squares	
	Sixteen (16) 3 ½" x 6 ½ rectangles	
Fabric D :	Four (4) 6 ½" squares	
Fabric E:	Four (4) 6 ½" squares	
Fabric F:	Five (5) 6 ½" squares	
Fabric G:	Four (4) 6 ½" squares	
Fabric H:	Eight (8) 7 ¾" squares	
Fabric I:	Two (2) 7 ¾" squares	
Fabric J:	Eight (8) 7 ¾" squares	
Fabric <mark>K:</mark>	Four (4) 7 ¾" squares	
Fabric L:	Three (3) 7 ¾" squares	
	Twenty (20) 3 ½" x 6 ½ ⁻ rectangles	

Fabric M:	Eight (8) 7 ¾" squares
Fabric N:	Two (2) 7 ¾" squares
	Sixteen (16) 3 ½° × 6 ½ rectangles
Fabric O:	Two (2) 7 ¾" squares
	Sixteen (16) 3 ½" x 6 ½ rectangles
Fabric P:	Four (4) 7 ¾" squares
Fabric Q:	One (1) 7 ¾" squares
Fabric R:	Thirty-six (36) 7 ¾" squares

CONSTRUCTION


Sew all rights sides together (RST) with ¼"seam allowance.

- © The cutting directions for this quilt are written to be used with the 8 At a Time method of making Half Square Triangle (HST) units.
- © To make eight HST units of a finished size of 3' you start with two 7 %' squares of fabric. Place them RST and mark the diagonals, then sew on either side of both diagonal lines.
- © Finally, cut along the marked lines and also make vertical and horizontal cuts through the center. Press open and trim to 3 ½ squares. See diagram below.
- © We also have a video tutorial at: https://www.youtube. com/watch?v=84ma1tOiyNI (AGF Quilt Block Collection: Moroccan Quilt Block Tutorial)



X Block A- Make 4

- © Pair two 7 ¾" squares in Fabric **A** with two 7 ¾" squares in Fabric **B** to make 16 HST units total.
- © Pair six 7 ¾" squares in Fabric **A** with six 7 ¾" squares in Fabric **R** to make 48 HST units total.
- © Arrange your HST into rows as shown, with **A/B** units in the center and **A/R** units on the outer edge. Refer to the diagram for orientation.



X Block B- Make 4

- © Pair two 7 ¾" squares in Fabric J with two 7 ¾" squares in Fabric K to make 16 HST units total.
- © Pair six 7 ¾" squares in Fabric J with six 7 ¾" squares in Fabric **R** to make 48 HST units total.



X Block C- Make 4

© Make 16 Fabric H/I HST units total.

© Make 48 Fabric H/R HST units total.



X Block D- Make 4

© Make 16 Fabric M/K HST units total.

© Make 48 Fabric M/R HST units total.



X Block E- Make 2

© Make 8 Fabric P/Q HST units total.

© Make 24 Fabric P/R HST units total.



O Block F- Make 4

- © Pair two 7 ¾" squares in Fabric **C** with two 7 ¾" squares in Fabric **R** to make 16 HST units total.
- © Refer to diagram for orientation of HST and rectangles. Sew together rows, then sew rows together to complete block. Measurements of pieces for all O blocks are the same (Blocks G, H, I).

© Row 1: HST > Fabric C 3 ½* x 6 ½ rectangle > HST
 © Row 2: Fabric C 3 ½* x 6 ½ rectangle > Fabric G 6 ½
 Square > Fabric C 3 ½* x 6 ½ rectangle
 © Row 3: HST > Fabric C 3 ½* x 6 ½ rectangle > HST



DIAORAM 7

O Block G- Make 5

© Make 24 Fabric L/R HST units total. (set 4 aside)

© Row 1: HST > Fabric L rectangle > HST
 © Row 2: Fabric L rec. > Fabric F Square > Fabric L rec.
 © Row 3: HST > Fabric L rectangle > HST



DIAORAM 8

O Block H- Make 4

© Make 16 Fabric N/R HST units total.

© Row 1: HST > Fabric N rectangle > HST
© Row 2: Fabric N rec. > Fabric D Square > Fabric N rec.
© Row 3: HST > Fabric N rectangle > HST



DIAORAM 9

O Block I- Make 4

© Make 16 Fabric O/R HST units total.

© Row 1: HST > Fabric O rectangle > HST
© Row 2: Fabric O rec. > Fabric E Square > Fabric O rec.
© Row 3: HST > Fabric O rectangle > HST




DIAORAM 40

ASSEMBLING THE TOP

Sew all rights sides together with ¼"seam allowance. Press open.

- © Arrange and sew blocks following quilt illustration and Diagram 11..
- © Sew the seven rows of blocks together. Press all the seams in one direction, alternating directions from row to row.
- © Sew the rows together to complete the quilt top. alternating starting point of sewing from row to row.



QUILT ASSEMBLY

Sew rights sides together.


- © Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- © Place BATTING on top of backing fabric.
- © Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- © Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- © Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motifs are a matter of personal preference. Have fun choosing yours!
- © After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

BINDING

Sew rights sides together.

- © Cut enough strips 1½' wide by the width of the fabric C to make a final strip 298' long. Start sewing the binding strip in the middle of one of the sides of the quilt. placing the strip right side down and leaving an approximated 5' tail. Sew with ¼' seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.
- © Stop stitching ¼' before the edge of the quilt (DIA-ORAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAORAM B2). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAORAM B3). Start sewing at ¼' of the border, stitching all the layers. Do the same in the four corners of the quilt.

- © Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- © Trim seam to ¼ and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.





artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.